

ETS98 Flexible ducts for aggressive fumes



Description :

Flexible duct made of polyamide fabric impregnated with santoprene and inner steel wire helix; particularly suitable when operating in presence of aggressive fumes.

Characteristics :

Colour : black.
 Diameters: from 40 to 500 mm.
 Temperature range: from -20°C to +125°C (+ 150°C peaks).

Size:

From diameter 40mm to 500mm standard 10 meters (20 meters roll up to Ø200 on request).
 For larger diameters minimum lot 10 meters in size of 5 meters.

Use :

- Suction of motor vehicle gas
- Pneumatic conveyance
- Granule suction
- Passage of solvents and acids.

Duct particularly suitable when working with aggressive fumes.

Fire reaction:

Flame retardant class B1.

Price list

The length of the hose should to be considered in a extended position and at environment temperature (16/18°C - tolerance ±2%)

internal ø	ETS98	internal ø	ETS98	internal ø	ETS98	internal ø	ETS98	internal ø	ETS98
	euro		euro		euro		euro		euro
40	28,02	100	57,96	150	84,82	275	164,81	500	307,57
50	30,47	110	62,18	160	89,01	300	193,21	600	a.r.
60	35,71	120	68,13	180	102,94	315	201,07	700	a.r.
70	40,74	125	70,68	200	111,65	350	217,64		
80	46,55	130	73,51	225	128,46	400	243,06		
90	52,15	140	77,73	250	139,66	450	275,32		